

## ABOUT TIMES-7

Pushing the boundaries of RFID technology worldwide Times-7 are leaders in RFID antenna design and manufacture. Our patented award winning UHF antennas meet the needs of virtually any industry application; providing customers with fast accurate tracking of products, assets & people; empowering organizations to transform processes & reduce costs.

Our SlimLine range of antennas is unique in the RFID industry; offering high levels of performance & durability in an aesthetically superior form.

Proven in a diverse & growing range of markets, applications include: retail & customer interaction, conference & people tracking, race timing, baggage handling, and logistic & supply chain asset management.

Times-7 Research Ltd  
29 Railway Avenue  
Lower Hutt 5010  
New Zealand

NEW ZEALAND  
P: +64 4 974 6566

USA/CANADA  
P: +1 408 769 5025

E: [info@times-7.com](mailto:info@times-7.com)

[www.times-7.com](http://www.times-7.com)



*The A1001 Near Field Antenna*

Wideband near field UHF RFID antenna

82 mm / 3.2" square footprint

Read distance:  
0 to 10 cm / 3.4 in.

Typical applications:  
Access control & security, retail POS,  
libraries, & mass transit systems

Offering a breakthrough in size and performance the A1001 is a small commercially available wideband near field UHF RFID antenna.

Ideal for enclosed spaces and anywhere a small footprint is required, the A1001 Near Field / Short Range UHF antenna provides wideband reception and transmission of signals in the 864-928 MHz frequency range (ETSI & FCC bands inclusive).

The A1001 antenna offers impressive performance in a small footprint, greatly reducing stray tag-reads, and illustrates the advantage of near field / short range RFID in a truly cost-effective solution.

## Specifications

### Physical / Environmental Specifications

Dimensions (L x W x D):	82.0 mm x 82.0 mm x 9.5 mm 3.2 " x 3.2 " x 0.3 "
Weight:	100 g / 0.22 lbs.
Casing:	Moulded ABS housing
Environmental Rating:	No rating
Operating / Storage Temperature:	0° to +50°C / -30° to +60°C +32° to +122°F / -22° to +140°F
Connector type / position:	Type SMA Female / Side

## OUR GLOBAL NETWORK

Constantly increasing market reach and influence in the global RFID industry, Times-7's international support spans The Americas, Europe, and Asia Pacific regions through our distributor, authorized reseller and integrated solutions provider network.

### Electrical Specifications

Frequency Range:	864-928 MHz
VSWR:	1.4 typical
Nominal Impedance:	50 $\Omega$
Maximum Input Power:	1 W
Antenna detection	10 K $\Omega$ resistance
Anti-static protection:	DC grounded

### Order Information

*(please quote both product code & part no.)*

Product Code	Band	Part No.
A1001	ETSI / FCC Wideband	71203
Cable Accessories	Cable Type	Part No.
Cable 2 m, SMA to RPTNC	LMR 195 / 240 / 400	71436 / 71782 / 72042
Cable 4 m, SMA to RPTNC	LMR 240 / 400	71784 / 72043
Cable 6 m, SMA to RPTNC	LMR 240 / 400	71904 / 72044
Cable 8 m, SMA to RPTNC	LMR 240 / 400	71788 / 72045

### Applications

- Access Control & Security
- Retail POS
- Libraries
- Mass Transit Systems



Times-7 Research Ltd  
29 Railway Avenue  
Lower Hutt 5010  
New Zealand

NEW ZEALAND  
P: +64 4 974 6566

USA/CANADA  
P: +1 408 769 5025

E: [info@times-7.com](mailto:info@times-7.com)

[www.times-7.com](http://www.times-7.com)

The technical data contained in this publication is not a guarantee for which Times-7 Research Ltd assumes legal accountability. It is indicative of typical performance, and if required should be relied on for specific applications only after due verification.

All technical data, specifications and other information contained herein are deemed to be the proprietary intellectual property of Times-7 Research Ltd. No reproduction, copy or use thereof may be made without the express written consent of Times-7 Research Ltd.