



Models may vary from the image shown

The multifunctional TouchBoard is the perfect solution for limited spaces in situations requiring the functions of a 'mouse'. Particularly in hard industrial applications, the CHERRY keyboard shows what she is made of. The model combines outstanding quality with long service life and precise, easy-to-operate touchpad.

## FUNCTION AND PERFORMANCE

- Individual keys with Gold Crosspoint contacts (ML technology)
- Designed for continuous usage - over 20 mill. confirmations per key
- Numeric block with 4 additional, individually inscribable function keys
- High level of reliability and unique precision confirmation feeling
- Programming of alternative key codes e.g. [.,], [.,][00], [000] • Suitable for left and right-handed use

→ Additional programming of software macros via the high-performance configuration software 'Cherry Tools'

→ Can be used with the standard drivers of the operating system

## TECHNICAL DATA

Dimensions product without packaging: 16,34 in x 7,6 in x 1,46 in

Cable-length: 5.74 ft

Storage temperature: -4 °F - 140 °F

Working temperature: 32 °F - 122 °F

Product approvals:

- BSMI
- CE
- cURus
- FCC
- VCCI
- VDE
- China RoHS
- UKCA
- ICES-003 (Canada)

Operating system:

- Windows 7
- Windows 8
- Windows 10
- Windows 11

Scope of delivery:

- Manual
- Keyboard

Reliability: MCBF > 10 Mrd. Betätigungen MTBF > 874.000 Stunden

Software support: CHERRY KEYS

Service life per key (in million strokes): 50 mio. actuations

Switching characteristics: linear

Max. current consumption (mA) of keyboard: 36 mA

Keyboard format: Full-size (100%)

N-key rollover:	not specified
Anti-ghosting:	not specified
Key encryption:	no
Actuating force (cN):	60 cN
Key labeling:	Laser etching
Palm rest:	Palm rest not available
USB hub:	no
Illumination:	no
Adjustable feet:	integrated
Status LEDs:	in housing

Key technology:	Mechanical
Switches:	CHERRY MX BLACK
Keycap material:	ABS
Model number:	MX11900
Warranty:	1 additional year voluntary limited manufacturers warranty

Errors, technical changes and delivery options reserved. Technical information refers only to the specification of the products. Properties are not guaranteed.

EAN & Part number	Switches	Color	Illumination	Layout
4025112045127 G80-11900LTMDE-2	CHERRY MX BLACK	black	no	DE (Germany)
4025112049514 G80-11900LTMEU-2	CHERRY MX BLACK	black	no	EU (USA+ €-Symbol)
4025112055638 G80-11900LTMFR-2	CHERRY MX BLACK	black	no	FR (France)
4025112045134 G80-11900LTMUS-2	CHERRY MX BLACK	black	no	US (USA)
4025112060427 G80-11900LTMXY-0	CHERRY MX BLACK	black	no	
4025112050848 G80-11900LUMBE-2	CHERRY MX BLACK	light-grey	no	BE (Belgium)
4025112050824 G80-11900LUMCH-2	CHERRY MX BLACK	black	no	CH (Switzerland)
4025112049958 G80-11900LUMDE-2	CHERRY MX BLACK	black	no	DE (Germany)
4025112068003 G80-11900LUMES-2	CHERRY MX BLACK	black	no	ES (Spain)
4025112050763 G80-11900LUMEU-2	CHERRY MX BLACK	black	no	EU (USA+ €-Symbol)
4025112077043 G80-11900LUMFA-2	CHERRY MX BLACK	black	no	
4025112050800 G80-11900LUMFR-2	CHERRY MX BLACK	black	no	FR (France)
4025112050787 G80-11900LUMGB-2	CHERRY MX BLACK	black	no	GB (United Kingdom)
4025112087165 G80-11900LUMPN-2	CHERRY MX BLACK	black	no	PN (PanNordic)

Please contact your local CHERRY service and support teams or your CHERRY sales partners for versions available in your country.